Important Patient Information



"I have the power."



Portable Oxygen Concentrator 1.800.220.0977 www.lnovaLabs.com

You have the power.

Stay Active

The LifeChoice Activox POC is the ideal oxygen therapy for the active patient. The system is lightweight and provides the longest internal battery available in a POC, empowering true freedom and mobility.

to provide the power of oxygen on-demand throughout the night, anytime, anywhere.



Picture living your life to its fullest.



Power to Stay Active



Power That Delivers

The LifeChoice Activox POC features Auto Mode Technology which automatically adjusts patient therapy based on oxygen demand.

- During Activity Auto Mode supports higher respiration rates
- During Sleep Auto Mode adjusts to be more sensitive in detecting breaths to maintain saturation throughout the night

Power of the PULSE-WAVE™

The LifeChoice Activox POC utilizes unique PULSE-WAVE™ Technology that delivers oxygen continuously during the first 30% of the inspiratory period so that all of the oxygen delivered is actually received. This delivery also helps minimize uncomfortable side effects.



How to Receive Your LifeChoice Activox POC

1. Request a prescription which must be written as "LifeChoice Activox Portable Oxygen Concentrator" with the direction "Do Not

Power That's Affordable

The LifeChoice Activox POC is reimbursed by Medicare and most private insurance plans. The Standard Package includes all the necessary elements for easy use and portability:


- LifeChoice Activox POC
- 12-Hour Internal Battery at 1 LPMeg with Pro Model; 5.5-Hour Internal Battery at 1 LPMeq with Sport Model
- Versatile 4-Way Carrying Case (Backpack, Shoulder Strap, Waist Pack, Briefcase)
- AC/DC Adapter/Charger
- 7-Foot Nasal Cannula
- Accessory Bag
- Standard 3-Year Limited Warranty (1 Year for Battery, Sieve Bed and Accessories)

Optional 3-hour external battery available for purchase.



2. Contact your local provider or call/visit 1.800.220.0977 www.lnovaLabs.com





Sport Model: 4.6 lbs. Weight: Pro Model: 4.8 lbs. 9.05" w x 7.875" h x 4.38" d Dimensions: Mode Of Operation: Stationary/Portable Flow Control Pulse Settings: l LPMeq 2 LPMeq | 3 LPMeq Average Sound Level at 10 ft. (3 m): 41 dB 44 dB 46 dB Nominal Wave Volumes: 10 ml 20 ml 30 ml Approx. Internal Battery 5.5 Hours 4 Hours Duration:* Sport Model: 2 Hours Pro Model: 12 Hours 6 Hours 5 Hours Approx. External Battery 3 Hours 3 Hours 2 Hours Duration:*† AC 100-240 VAC Power Supply: 50-60 Hz Cycles DC 12-19 VDC Battery 12-16.8 VDC

Sport Model: 3 Hours 4 Hours Pro Model:

Approx. External Battery

Recharge Time:

Approx. Internal Battery

3 Hours Recharge Time: 30 Seconds Warm-up Time: 90% (+/- 3%) Oxygen Concentration:

Oxygen Concentration

Sensor Alarm: 85% or Less

Operational Humidity Range: 15% to 95%, Non-condensing 41°F to 104°F (5°C to 40°C) Operational Temp. Range: 10,000 ft. (3,048 m)‡ Operational Altitude Max: Storage Humidity: Up to 95%, Non-condensing 32°F to 140°F (0°C to 60°C)

Storage Temp. Range: LifeChoice Activox Warranty: 3 Years (1 Year for Batteries. Sieve Bed and Accessories)





Now Available At

*Based on Breaths Per Minute. †Not included in Standard Package. ‡Performance degradation may occur at high altitude.

1.800.220.0977 www.lnovaLabs.com

Manufactured & Distributed by InovaLabs 3500 Comsouth Drive, Suite 100, Austin, TX 78744









@InovaLifeChoice

